



## 700 Hour Service Shire 30/35

Boat Name:	Owner:			
Location:				
Engine Hours:	ours: Date:			
Description	Done	Comment		
Check operation of all controls		Lubricate key switch		
Check and adjust all alternator belts				
Change engine oil filter (See Materials Used)				
Change engine oil (See Materials Used)				
Change gearbox oil (See Materials Used)		Oil required dependant on gearbox fitted		
Change primary fuel filter (See Materials Used)		Fit the fuel filter drain screw and seal from the old filter to the new filter		
Change secondary fuel filter (See Materials Used	(k	Change annually		
Check all fuel pipes are secure/no chaffing				
Change air filter element (See Materials Used)				
Check security of all electrical connections		Check behind the panel		
Visual inspection of all wiring				
Check coolant levels				
Check all hose clips for security				
Check all cooling water pipes are secure/no chaffing				
Check alignment of engine/shaft				
Check propeller is secure				
Check tightness of engine mounting bolts				
Check tightness of drive coupling bolts				
Visual check of stern gland				
Check operation of bilge pump				
Audible check of tappets				





## **Materials Used**



Description	Part No.	Qty	Model
Engine Oil 10W40 5L Container (This oil is also used for PRM 150 Gearbox)	RDG6110	2*	All
ATF Oil for PRM 90 Gearbox (If fitted)	ATF-1L	1	All
Oil Filter	129150-35170	1	All
Primary Fuel Filter**	RDG9188346	1	All
Secondary Fuel Filter**	119802-55810	1	All
Air Filter Element	RDG5795	1	All (up to Serial No xx-02662)
Air Filter Element	RDG919A19	1	All (from Serial No xx-02663)

<sup>\*</sup> A quantity of 2 is required even if a PRM 150 Gearbox isn't fitted

<sup>\*\*</sup> Only filters which meet the Recreational Craft Directive should be fitted to your engine





